



HiFi аудіо/відео, домашні кінотеатри - Імпортні CD/LP диски - Акустичний дизайн та матеріали
Технології "розумного" будинку: керування освітленням, сенсорне управління, автоматика,
мультитрум, HD відеонагляд - Apple техніка - Автоелектроніка - Комерційне (HoReCa) аудіо/відео
Автоматичні системи паркування ТМ "Паркмагік" - Меблі та кріплення для аудіо та відео
Львів, Коперника 16

+38 (032) 2614486 / +38 (032) 2614405 / +38 (067) 3614405 / +38 (032) 2445721 [fax]
558809792 [icq] / ultrahorizont [skp] / www.ultrahorizont.com.ua / info@ultrahorizont.com.ua

ПнВтСрЧтПт 10:00 - 20:00, СбНд 11:00 - 17:00

Пропонуємо спеціальні умови для дизайнерів та архітекторів: +38 (067) 9034037

marantz®

AV Процесор: Marantz AV 8801 Black	AV Процесор: Marantz AV 8801 Black DTS HD Master/DTS 5.1/DTS ES/DTS 96/24; Dolby Digital Plus/Dolby TrueHD/Dolby Digital EX/DPL IIz; Audyssey DSX; Dolby Virtual Speaker / Neural Surround; DLNA Certified - v1.5; UPnP Certified; Network Audio: MP3/WAV/AAC/FLAC/WMA; Network static video (JPEG); Internet Radio: direct / external media player; Ethernet - with 4 port 10/100 MBit switch; IP Control; Apple APP control by iPhone/iPod touch; AirPlay Music Streaming; Auto speaker setup by microphone - Audyssey MultEQ XT32 (PRO); Audyssey Dynamic EQ / Dynamic Volume; Video conversion> HDMI; Interface / progressive conversion; Analogue to HDMI scaling> 4k; 3D video pass through; Deep Color pass through; Audio Return Channel; On Screen Display - OSD; HDMI In/Out - 7/3; Balanced In/Out - 2/1.2ch; Phono (MM) In; Multichannel Pre Out - 11.2ch; Subwoofer Out - 2; 7.1 multichannel input; M-XPport for RX101; Marantz remote bus; IR Flasher In; Network - IP-control / update; RS232C - control / update; DC Triggers - 2; USB Audio / Made for iPod / Works with iPhone; System Remote Control - RC019SR; Pre-programmed/Learnable/LCD Display; Power Consumption in W - 90; Standby Consumption in W - 0.2; W x D x H - 440 x 390 x 185; Weight in kg - 13.9.	\$4 212
AV Процесор: Marantz AV-7701 (Black)	AV Процесор: Marantz AV-7701 (Black) DTS HD Master/DTS 5.1/DTS ES/DTS 96/24; Dolby Digital Plus/Dolby TrueHD/Dolby Digital EX/DPL IIz; DLNA Certified - (v1.5); UPnP Certified; Network Audio: MP3/WAV/AAC/FLAC/WMA; Internet Radio: direct / external media player; WiFi - external access point; Ethernet; IP Control; Apple APP control by iPhone/iPod touch; AirPlay Music Streaming; Auto speaker setup by microphone - Audyssey MultEQ XT; Video conversion CVBS>Comp>HDMI; Analogue to HDMI scaling>4k; 3D video pass through; On Screen Display: GUI; Multiroom zones - 2; Multi-Room Video Out: Video/Component; Phono (MM) In; Multichannel Pre Out - 11.2 (RCA), 9.2 /XLR); 7.1 multichannel input; M-XPport for RX101; DC Triggers-2; System Remote Control - RC016SR, Pre-programmed / Learnable / LCD Display; Power Consumption in W - 60; 440 x 395 x 187 mm, Weight in kg - 11.0	\$2 920
AV Ресивер: Marantz SR-5007 Black	AV Ресивер: Marantz SR-5007 Black 7x 100 Watts at 8 ohm RMS; Audyssey MultEQ XT; 4k Video skaling and pass-through; 1x Front HDMI input (total 6); DLNA 1.5 certified; AirPlay Audio Streaming; Marantz Remote App for iOS & Android; Apple Lossless support (firmware update); GUI overlay on HDMI; Setup Assistant (7 languages); Dolby TrueHD and dts-HD Master Audio; Dynamic Volume and Dynamic EQ; HDMI: 5+1 in / 1out (3D, ARC, Deep Color); Analogue & HDMI Upconversion to 4k; Network Audio and JPEG streaming; MP3, WAV, AAC, FLAC, WMA, Lossless,FLAC192/24 (HD); iPod/iPhone compatible USB, iPad charging; Available in Silver-Gold & Black; RS-232c & Web / IP Control; Firmware update and upgrade via network & USB;	\$1 170
AV Ресивер: Marantz SR-5007 SilverGold	AV Ресивер: Marantz SR-5007 SilverGold 7x 100 Watts at 8 ohm RMS; Audyssey MultEQ XT; 4k Video skaling and pass-through; 1x Front HDMI input (total 6); DLNA 1.5 certified; AirPlay Audio Streaming; Marantz Remote App for iOS & Android; Apple Lossless support (firmware update); GUI overlay on HDMI; Setup Assistant (7 languages); Dolby TrueHD and dts-HD Master Audio; Dynamic Volume and Dynamic EQ; HDMI: 5+1 in / 1out (3D, ARC, Deep Color); Analogue & HDMI Upconversion to 4k; Network Audio and JPEG streaming; MP3, WAV, AAC, FLAC, WMA, Lossless,FLAC192/24 (HD); iPod/iPhone compatible USB, iPad charging; Available in Silver-Gold & Black; RS-232c & Web / IP Control; Firmware update and upgrade via network & USB;	\$1 170
AV Ресивер: Marantz SR-5008 Black	AV Ресивер: Marantz SR-5008 Black 7x 140 Watts at 6 ohm RMS; Audyssey MultEQ XT; 4k Video skaling and pass-through; 1x Front HDMI input (total 6); DLNA 1.5 certified; AirPlay Audio Streaming; Marantz Remote App for iOS & Android; Apple Lossless support (firmware update); GUI overlay on HDMI; Setup Assistant (7 languages); Dolby TrueHD and dts-HD Master Audio; Dynamic Volume and Dynamic EQ; HDMI: 5+1 in / 1out (3D, ARC, Deep Color); Analogue & HDMI Upconversion to 4k; Network Audio and JPEG streaming; MP3, WAV, AAC, FLAC, WMA, Lossless,FLAC192/24 (HD); iPod/iPhone compatible USB, iPad charging; Available in Silver-Gold & Black; RS-232c & Web / IP Control; Firmware update and upgrade via network & USB; 440 x 160 x 335 mm, 10.2 kg.	\$1 200

AV Ресивер: Marantz SR-5008 Silver Gold	AV Ресивер: Marantz SR-5008 Silver Gold;□ 7x 140 Watts at 6 ohm RMS; Audyssey MultEQ XT;□ 4k Video skaling and pass-through; □ 1x Front HDMI input (total 6); DLNA 1.5 certified;□ AirPlay Audio Streaming; Marantz Remote App for iOS & Android;□ Apple Lossless support (firmware update);□ GUI overlay on HDMI; Setup Assistant (7 languages);□ Dolby TrueHD and dts-HD Master Audio; □ Dynamic Volume and Dynamic EQ;□ HDMI: 5+1 in / 1out (3D, ARC, Deep Color);□ Analogue & HDMI Upconversion to 4k;□ Network Audio and JPEG streaming;□ MP3, WAV, AAC, FLAC, WMA, Lossless,FLAC192/24 (HD;□ iPod/iPhone compatible USB, iPad charging;□ Available in Silver-Gold & Black; RS-232c & Web / IP Control;□ Firmware update and upgrade via network & USB; 440 x 160 x 335 mm, 10.2 kg.□ 7x 100 Watts at 8 ohm RMS; Audyssey MultEQ XT;□ 4k Video skaling and pass-through; □ 1x Front HDMI input (total 6); DLNA 1.5 certified;□ AirPlay Audio Streaming; Marantz Remote App for iOS & Android;□ Apple Lossless support (firmware update);□ GUI overlay on HDMI; Setup Assistant (7 languages);□	\$1 200
AV Ресивер: Marantz SR-6007 Black	AV Ресивер: Marantz SR-6007 Black□ DTS HD Master/DTS 5.1/DTS ES/DTS 96/24;□ Dolby Digital Plus/Dolby TrueHD/Dolby Digital EX/DPL Iiz;□ Audyssey DSX ; Multichannel Stereo;□ Compressed audio Enhancer: MDAX2;□ DLNA Certified - (v1.5); Internet Radio - vTuner; Ethernet;□ Network Audio: MP3/WAV/AAC/FLAC/FLAC 192/24/WMA;□ Auto speaker setup by microphone Audyssey MultEQ XT;□ Audyssey Dynamic EQ / Dynamic Volume;□ Video conversion CVBS > HDMI; Comp > HDMI;□ Analogue to HDMI scaling up to 4k; HDMI to HDMI scaling up to 4k;□ Videoprocessing; Picture adjust / Noise reduction;□ HDMI path though on stand-by; 4k video pass through;□ 3D video pass through; Audio Return Channel;□ On Screen Display: GUI; GUI overlay on HDMI;□ Multiroom zones 1 (incl. Video); Composite In/Out 4/2;□ Component In/Out 2/1; HDMI In/Out 5+1/2;□ Multichannel Pre Out - (7.2); Subwoofer Out - 2;□ 7.1 multichannel input; Phono - MM;□ M-XPort for RX101; Speaker A/B; Bi-amp drive (5.1 ch setting)/Speaker C;□ IR Flasher In; Network: (IP-control/update); RS232C (control/update);□	\$1 450
AV Ресивер: Marantz SR-6007 SilverGold	AV Ресивер: Marantz SR-6007 SilverGold□ DTS HD Master/DTS 5.1/DTS ES/DTS 96/24;□ Dolby Digital Plus/Dolby TrueHD/Dolby Digital EX/DPL Iiz;□ Audyssey DSX ; Multichannel Stereo;□ Compressed audio Enhancer: MDAX2;□ DLNA Certified - (v1.5); Internet Radio - vTuner; Ethernet;□ Network Audio: MP3/WAV/AAC/FLAC/FLAC 192/24/WMA;□ Auto speaker setup by microphone Audyssey MultEQ XT;□ Audyssey Dynamic EQ / Dynamic Volume;□ Video conversion CVBS > HDMI; Comp > HDMI;□ Analogue to HDMI scaling up to 4k; HDMI to HDMI scaling up to 4k;□ Videoprocessing; Picture adjust / Noise reduction;□ HDMI path though on stand-by; 4k video pass through;□ 3D video pass through; Audio Return Channel;□ On Screen Display: GUI; GUI overlay on HDMI;□ Multiroom zones 1 (incl. Video); Composite In/Out 4/2;□ Component In/Out 2/1; HDMI In/Out 5+1/2;□ Multichannel Pre Out - (7.2); Subwoofer Out - 2;□ 7.1 multichannel input; Phono - MM;□ M-XPort for RX101; Speaker A/B; Bi-amp drive (5.1 ch setting)/Speaker C;□ IR Flasher In; Network: (IP-control/update); RS232C (control/update);□	\$1 450
AV Ресивер: Marantz SR-6008 Black	AV Ресивер: Marantz SR-6008 Black□ DTS HD Master/DTS 5.1/DTS ES/DTS 96/24 DTS-Neo:X (up to 7.1)/Audyssey DSX processing;□ Dolby Digital Plus/Dolby TrueHD/Dolby Digital EX/DPL Iiz;□ Audyssey DSX ; Multichannel Stereo;□ Compressed audio Enhancer: MDAX2;□ DLNA Certified - (v1.5); Internet Radio - vTuner; Ethernet;□ Network Audio: MP3/WMA/WAV/AAC/FLAC/ALAC 96/24/FLAC 192/24/WAV 192/24; AirPlay audio streaming; Windows 8/RT compatible;□ Auto speaker setup by microphone Audyssey MultEQ XT (PRO);□ Audyssey Dynamic EQ / Dynamic Volume; HDAM;□ Video conversion CVBS > HDMI; Comp > HDMI;□ Analogue to HDMI scaling up to 4k; HDMI to HDMI scaling up to 4k;□ HDMI InstaPrevue; Videoprocessing; Picture adjust / Noise reduction;□ HDMI path though on stand-by; 4k video pass through;□ 3D video pass through; Audio Return Channel;□ On Screen Display: GUI; GUI overlay on HDMI;□ Multiroom zones 1 (incl. HDMI); Composite In/Out 4/2;□ Component In/Out 2/1; HDMI In/Out 6+1/2;□ Multichannel Pre Out - (7.2); Subwoofer Out - 2;□ 7.1 multichannel input; Phono - MM;□	\$1 490
AV Ресивер: Marantz SR-6008 Silver Gold	AV Ресивер: Marantz SR-6008 Silver Gold□ DTS HD Master/DTS 5.1/DTS ES/DTS 96/24 DTS-Neo:X (up to 7.1)/Audyssey DSX processing;□ Dolby Digital Plus/Dolby TrueHD/Dolby Digital EX/DPL Iiz;□ Audyssey DSX ; Multichannel Stereo;□ Compressed audio Enhancer: MDAX2;□ DLNA Certified - (v1.5); Internet Radio - vTuner; Ethernet;□ Network Audio: MP3/WMA/WAV/AAC/FLAC/ALAC 96/24/FLAC 192/24/WAV 192/24; AirPlay audio streaming; Windows 8/RT compatible;□ Auto speaker setup by microphone Audyssey MultEQ XT (PRO);□ Audyssey Dynamic EQ / Dynamic Volume; HDAM;□ Video conversion CVBS > HDMI; Comp > HDMI;□ Analogue to HDMI scaling up to 4k; HDMI to HDMI scaling up to 4k;□ HDMI InstaPrevue; Videoprocessing; Picture adjust / Noise reduction;□ HDMI path though on stand-by; 4k video pass through;□ 3D video pass through; Audio Return Channel;□ On Screen Display: GUI; GUI overlay on HDMI;□ Multiroom zones 1 (incl. HDMI); Composite In/Out 4/2;□ Component In/Out 2/1; HDMI In/Out 6+1/2;□ Multichannel Pre Out - (7.2); Subwoofer Out - 2;□ 7.1 multichannel input; Phono - MM;□	\$1 490

AV Ресивер: Marantz SR-7008 Black	AV Ресивер: Marantz SR-7008 Black DTS HD Master/DTS 5.1/DTS ES/DTS 96/24 DTS-Neo:X (up to 9.1)/Audyssey DSX processing; Dolby Digital Plus/Dolby TrueHD/Dolby Digital EX/DPL IIz; Audyssey DSX ; Multichannel Stereo; Compressed audio Enhancer: MDAX2; DLNA Certified - (v1.5); Internet Radio - vTuner; Ethernet; Network Audio: MP3/WMA/WAV/AAC/FLAC/ALAC 96/24/FLAC 192/24/WAV 192/24; AirPlay audio streaming; Windows 8/RT compatible; Auto speaker setup by microphone Audyssey MultEQ XT 32 (PRO); Audyssey LFC/Dynamic EQ/Dynamic Volume; HDAM; Video conversion CVBS > HDMI; Comp > HDMI; Analogue to HDMI scaling up to 4k; HDMI to HDMI scaling up to 4k; HDMI InstaPrevue; Videoprocessing; Picture adjust / Noise reduction; HDMI path though on stand-by; 4k video pass through; 3D video pass through; Audio Return Channel; On Screen Display: GUI; GUI overlay on HDMI; Multiroom zones 2 (incl. HDMI); Composite In/Out 4/3 (incl Zone 2); Component In/Out 3/1; HDMI In/Out 6+1/3 (2xMain + Zone 2); Multichannel Pre Out - (11.2); Subwoofer Out - 2; Zone Preout (Zone 2/Zone 3)	\$2 340
AV Ресивер: Marantz SR-7008 Silver Gold	AV Ресивер: Marantz SR-7008 Silver Gold DTS HD Master/DTS 5.1/DTS ES/DTS 96/24 DTS-Neo:X (up to 9.1)/Audyssey DSX processing; Dolby Digital Plus/Dolby TrueHD/Dolby Digital EX/DPL IIz; Audyssey DSX ; Multichannel Stereo; Compressed audio Enhancer: MDAX2; DLNA Certified - (v1.5); Internet Radio - vTuner; Ethernet; Network Audio: MP3/WMA/WAV/AAC/FLAC/ALAC 96/24/FLAC 192/24/WAV 192/24; AirPlay audio streaming; Windows 8/RT compatible; Auto speaker setup by microphone Audyssey MultEQ XT 32 (PRO); Audyssey LFC/Dynamic EQ/Dynamic Volume; HDAM; Video conversion CVBS > HDMI; Comp > HDMI; Analogue to HDMI scaling up to 4k; HDMI to HDMI scaling up to 4k; HDMI InstaPrevue; Videoprocessing; Picture adjust / Noise reduction; HDMI path though on stand-by; 4k video pass through; 3D video pass through; Audio Return Channel; On Screen Display: GUI; GUI overlay on HDMI; Multiroom zones 2 (incl. HDMI); Composite In/Out 4/3 (incl Zone 2); Component In/Out 3/1; HDMI In/Out 6+1/3 (2xMain + Zone 2); Multichannel Pre Out - (11.2); Subwoofer Out - 2; Zone Preout (Zone 2/Zone 3)	\$2 340
Bluetooth удлинитель: Bluetooth удлинитель Marantz RX 101	Bluetooth удлинитель: Bluetooth удлинитель Marantz RX 101 Power supply - DC 5 V 3 mA/DC 3.3 V 35mA; Communication method - Bluetooth ver. 2.1 + EDR; Maximum transmission distance - Line-of-sight distance approx. 10 m; Transmission frequency band - 2.400 GHz to 2.4835 GHz; Modulation method - FH-SS; Supporting CODEC - SBC (Subband Codec); Supporting content protection - SCMS-T; External dimensions (W/H/D) - 60 x 30 x 60 mm; Weight - 55g.	\$186
Усилитель мощности: Marantz MM 7025 Black	Усилитель мощности: Marantz MM 7025 Black,2 x140 W / 170 W, 8 Hz-100 kHz (+-3 dB),Damping Factor-100,440 x 352 x 126mm,10.5kg.	\$1 150
Усилитель мощности: Marantz MM 7055 Black	Усилитель мощности: Marantz MM 7055 Black,5x140 W / 170 W (6),8 Hz-100 kHz (+-3 dB),Damping Factor -100,440 x 384 x 183mm, 15.2 kg.	\$1 850
Усилитель мощности: Marantz MM 8077 Black	Усилитель мощности: Marantz MM 8077 Black Power Output (8 Ohm) - 7x150W (20Hz - 20kHz, 0.08%); S/N Ratio - 105dB; Freq. Response (Analog In) - 8Hz - 100kHz(+/- 3dB); Main Amplifier In - Balanced & Unbalanced: 7ch (Exclusive use by a selector switch.); DC Triggers - 1 In / 1 Out; D-Bus Remote (RC-5) In/Out - 1 In /1 Out; Power Consumption-- 800W ; Dimensions W x H x D - 440 x 384 x 185mm; Weight - 18 kg.	\$2 970
BD плеер: Marantz UD 5007 Black	BD плеер: Marantz UD 5007 Black Compatibility: CD/SACD/DVD/DVD-A/Blu-Ray Disc; BD-Live; Internal memory for BD-Live (1Gb); Audio/Video streaming from network; Audio exclusive mode (Pure Direct); Video Scaling on HDMI: up to 1080p; Compressed audio compatibility: WMA / MP3; Multi language OSD; DSD from SACD via HDMI; Decoder: Dolby Digital Plus/Dolby TrueH /DTS HD; Decoder: DD/DTS/DTS96/24/SACD; Multichannel downmix: DD/DTS/SACD; CD Compatibility: CD/CD-R/RW/HDCD/SACD; DVD Compatibility: DVD-V/DVD-A/DVD-R/DVD-RW (video)/DVD+R/RW; AVCHD/DivX HD/DivX 6; MP3 / WMA from: CD/DVD/USB; Image Disc Compatibility: JPEG/Picture CD; 3D ready; True 24 Frames Per Second (FPS); DLNA certified - (v1.5); UPnP certified; Network Audio: MP3/WMA/AAC/FLAC/WAV; Network static video; Network video: MPEG/DivX/H.264/WMV; YouTube Leanback / Netflix VOD*; D/A Conversion (audio) 192kHz/24-bit; D/A Converter chip (audio) PCM1781; Frequency Response BD- linear PCM; 48kHz sampling - 4Hz to 22kHz; 96kHz sampling - 4Hz to 44kHz;	\$835
BD плеер: Marantz UD 5007 SilverGold	BD плеер: Marantz UD 5007 SilverGold Compatibility: CD/SACD/DVD/DVD-A/Blu-Ray Disc; BD-Live; Internal memory for BD-Live (1Gb); Audio/Video streaming from network; Audio exclusive mode (Pure Direct); Video Scaling on HDMI: up to 1080p; Compressed audio compatibility: WMA / MP3; Multi language OSD; DSD from SACD via HDMI; Decoder: Dolby Digital Plus/Dolby TrueH /DTS HD; Decoder: DD/DTS/DTS96/24/SACD; Multichannel downmix: DD/DTS/SACD; CD Compatibility: CD/CD-R/RW/HDCD/SACD; DVD Compatibility: DVD-V/DVD-A/DVD-R/DVD-RW (video)/DVD+R/RW; AVCHD/DivX HD/DivX 6; MP3 / WMA from: CD/DVD/USB; Image Disc Compatibility: JPEG/Picture CD; 3D ready; True 24 Frames Per Second (FPS); DLNA certified - (v1.5); UPnP certified; Network Audio: MP3/WMA/AAC/FLAC/WAV; Network static video; Network video: MPEG/DivX/H.264/WMV; YouTube Leanback / Netflix VOD*; D/A Conversion (audio) 192kHz/24-bit; D/A Converter chip (audio) PCM1781; Frequency Response BD- linear PCM; 48kHz sampling - 4Hz to 22kHz; 96kHz sampling - 4Hz to 44kHz;	\$835

BD плеер: Marantz UD 7007 Black	BD плеер: Marantz UD 7007 Black Compatibility: CD/SACD/DVD/DVD-A/Blu-Ray Disc BD-Live; Internal memory for BD-Live (1Gb); Audio / Video streaming from network; Video Scaling on HDMI: up to 1080P; Multi Channel Down Mix: DD/DTS/SA-CD; AVCHD/DivX HD/DivX6/DivX plus HD; MP3 / WMA from: CD/DVD/USB;3D video support; DLNA Certified - (v1.5); Network Audio: MP3/WMA/AAC/FLAC/WAV; Network Video: MPEG / DivX / H.264 / WMV; Online contents service (YouTube); 2xHDMI; USB; Ethernet; D.Bus; XLR analogue out (L/R); D/A conversion (audio) - 192 kHz/32-bit; Total Harmonic Distortion (THD) - 0.0020%; Remote Control - RC006UD; Power Consumption in W - 40; Detachable Power Cable; 440x308x108mm; Weight in kg - 6.5	\$1 537
BD плеер: Marantz UD 7007 SilverGold	BD плеер: Marantz UD 7007 SilverGold Compatibility: CD/SACD/DVD/DVD-A/Blu-Ray Disc BD-Live; Internal memory for BD-Live (1Gb); Audio / Video streaming from network; Video Scaling on HDMI: up to 1080P; Multi Channel Down Mix: DD/DTS/SA-CD; AVCHD/DivX HD/DivX6/DivX plus HD; MP3 / WMA from: CD/DVD/USB;3D video support; DLNA Certified - (v1.5); Network Audio: MP3/WMA/AAC/FLAC/WAV; Network Video: MPEG / DivX / H.264 / WMV; Online contents service (YouTube); 2xHDMI; USB; Ethernet; D.Bus; XLR analogue out (L/R); D/A conversion (audio) - 192 kHz/32-bit; Total Harmonic Distortion (THD) - 0.0020%; Remote Control - RC006UD; Power Consumption in W - 40; Detachable Power Cable; 440x308x108mm; Weight in kg - 6.5	\$1 537
CD плеер: Marantz CD5004 Black	CD плеер: Marantz CD5004 Black.Disc Capacity- 1,Playback Formats CD / CD-R/RW / MP3 / WMA,CD-Text,Decoder - TC94A70FG,Frequency Range 20Hz - 20kHz,RC002CD,440 x 340 x 105 mm,5.1 kg	\$399
CD плеер: Marantz CD5004 Silver Gold	CD плеер: Marantz CD5004 Silver Gold.Disc Capacity- 1,Playback Formats CD / CD-R/RW / MP3 / WMA,CD-Text,Decoder - TC94A70FG,Frequency Range 20Hz - 20kHz,RC002CD,440 x 339,5 x 104,5mm,5.1 kg.	\$399
CD плеер: Marantz CD6004 (Black)	CD плеер: Marantz CD6004 (Black) CD Compatibility: CD/CD-R/RW/WMA/MP3/AAC CD-Text/SA-CD Text/WMA Meta Tag/AAC Meta data iPod / iPhone compatible USB input HDAM version - HDAM+HDAM SA2 Program Play (CD)-30; Auto Music Scan (AMS),Repeat,Random Play; Analogue Out (Cinch)-2ch; Digital Optical Out,Digital Coaxial Out; USB Audio (Front) / Made for iPod / Works with iPhone Headphone Out; Headphone Volume Control; Mechanism-DV11VF; Decoder-TA94A92FG; D/A Conversion-Multi-bit, Delta-Sigma; DAC IC-CS4398; Digital Filter-CS4398; Noise Shaper-CS4398; Headphone amp-NJM2068; Frequency Response - 2 Hz - 20 kHz; Dynamic Range-100 dB; Signal to Noise Ratio-110 dB; Total Harmonic Distortion-0.002%; Channel Separation110 dB; Remote Control-RC004CD; Power Consumption in W-32; Auto power off; Detachable Power Cable; 440 x 339 x 106mm; 7.0 kg.	\$620
CD плеер: Marantz CD6004 (SG)	CD плеер: Marantz CD6004 (SG) CD Compatibility: CD/CD-R/RW/WMA/MP3/AAC CD-Text/SA-CD Text/WMA Meta Tag/AAC Meta data iPod / iPhone compatible USB input HDAM version - HDAM+HDAM SA2 Program Play (CD)-30; Auto Music Scan (AMS),Repeat,Random Play; Analogue Out (Cinch)-2ch; Digital Optical Out,Digital Coaxial Out; USB Audio (Front) / Made for iPod / Works with iPhone Headphone Out; Headphone Volume Control; Mechanism-DV11VF; Decoder-TA94A92FG; D/A Conversion-Multi-bit, Delta-Sigma; DAC IC-CS4398; Digital Filter-CS4398; Noise Shaper-CS4398; Headphone amp-NJM2068; Frequency Response - 2 Hz - 20 kHz; Dynamic Range-100 dB; Signal to Noise Ratio-110 dB; Total Harmonic Distortion-0.002%; Channel Separation110 dB; Remote Control-RC004CD; Power Consumption in W-32; Auto power off; Detachable Power Cable; 440 x 339 x 106mm; 7.0 kg.	\$620
CD плеер: Marantz CD6005 (Black)	CD плеер: Marantz CD6005 (Black); CD, CD-R/RW playback, USB-A input Certified, "Made for iPhone/iPod", Support of WAV, MP3, AAC , WMA file playback via USB-A input", High quality 192kHz/24bit D/A conversion (CS4398) and accurate system clock, HDAM-SA2 circuitry on board for high quality audio, Customized audio components, Full discrete headphone amplifier, Double layered bottom plate for extra stability, Gold Plated L/R/Coax Outputs	\$699
CD плеер: Marantz CD6005 (SG)	CD плеер: Marantz CD6005 (SG); CD, CD-R/RW playback, USB-A input Certified, "Made for iPhone/iPod", Support of WAV, MP3, AAC , WMA file playback via USB-A input", High quality 192kHz/24bit D/A conversion (CS4398) and accurate system clock, HDAM-SA2 circuitry on board for high quality audio, Customized audio components, Full discrete headphone amplifier, Double layered bottom plate for extra stability, Gold Plated L/R/Coax Outputs CD Compatibility: CD/CD-R/RW/WMA/MP3/AAC CD-Text/SA-CD Text/WMA Meta Tag/AAC Meta data iPod / iPhone compatible USB input HDAM version - HDAM+HDAM SA2 Program Play (CD)-30; Auto Music Scan (AMS),Repeat,Random Play; Analogue Out (Cinch)-2ch; Digital Optical Out,Digital Coaxial Out; USB Audio (Front) / Made for iPod / Works with iPhone Headphone Out; Headphone Volume Control; Mechanism-DV11VF; Decoder-TA94A92FG; D/A Conversion-Multi-bit, Delta-Sigma; DAC IC-CS4398; Digital Filter-CS4398; Noise Shaper-CS4398; Headphone amp-NJM2068; Frequency Response - 2 Hz - 20 kHz; Dynamic Range-100 dB;	\$699
CD/SACD плеер: Marantz SA KI Pearl Light (Black)	CD/SACD плеер: Marantz SA KI Pearl Light (Black) • Ограниченное издание - Limited Edition • Уникальная шелковисто-жемчужная отделка • Алюминиевая крышка толщиной 5 мм, массивные алюминиевые опоры • Дополнительная тяжелая нижняя пластина, медное покрытие шасси • Высококачественные аудио компоненты • Фирменные гипердинамичные модули HDAM-SA3 и HDAM-SA2 • Торoidalный трансформатор в экранирующем корпусе • Механика привода дисков SACDM-10 с лотком из материала Xytron • Высококачественный ЦАП Cirrus Logic CS4398 • Возможность выбора фильтров в ЦАП • Оптический цифровой вход для режима внешнего ЦАП • Воспроизведение SACD стерео, CD-DA, MP3 и WMA • Динамический диапазон: 112 дБ (SACD), 100 дБ (CD) • Диапазон частот: 2 Гц - 100 кГц (SACD), 2 Гц - 20 кГц (CD) • Отношение с/ш: 110 дБ (SACD), 110 дБ (CD) • Искажения, THD+N (1 кГц): 0,001% (SACD), 0.0015% (CD) • Потребление: 20 Вт, размеры, мм: 440x419x127, вес: 14.5 кг	\$1 750

CD/SACD нлеер: Marantz SA KI Pearl Light (Silver Gold)	CD/SACD нлеер: Marantz SA KI Pearl Light (Silver Gold)☐ • Ограниченное издание - Limited Edition☐ • Уникальная шелковисто-жемчужная отделка☐ • Алюминиевая крышка толщиной 5 мм, массивные алюминиевые опоры☐ • Дополнительная тяжелая нижняя пластина, медное покрытие шасси☐ • Высококачественные аудио компоненты☐ • Фирменные гипердинамичные модули HDAM-SA3 и HDAM-SA2☐ • Торoidalный трансформатор в экранирующем корпусе☐ • Механика привода дисков SACDM-10 с лотком из материала Хурон☐ • Высококачественный ЦАП Cirrus Logic CS4398☐ • Возможность выбора фильтров в ЦАП☐ • Оптический цифровой вход для режима внешнего ЦАП☐ • Воспроизведение SACD стерео, CD-DA, MP3 и WMA☐ • Динамический диапазон: 112 дБ (SACD), 100 дБ (CD)☐ • Диапазон частот: 2 Гц - 100 кГц (SACD), 2 Гц - 20 кГц (CD)☐ • Отношение с/ш: 110 дБ (SACD), 110 дБ (CD)☐ • Искажения, THD+N (1 кГц): 0,001% (SACD), 0.0015% (CD)☐ • Потребление: 20 Вт, размеры, мм: 440x419x127, вес: 14.5 кг	\$ 1 750
CD/SACD нлеер: Marantz SA-11S3 (Black) (Premium series)	CD/SACD нлеер: Marantz SA-11S3 (Black) (Premium series) Поддержка стандартов: SACD, MP3, WMA, CD-R, CD-RW, CD Подключение Входы: коаксиальный, оптический Выходы: линейный, балансный, оптический, коаксиальный, на наушники Поддержка iPod: есть Частотный диапазон для SACD: от 2 Гц до 50 кГц. Частотный диапазон для CD: от 2 Гц до 20 кГц. Динамический диапазон для SACD:114 дБ. Динамический диапазон для CD: 100 дБ. Соотношение сигнал-шум для SACD: 114 дБ. Соотношение сигнал-шум для CD: 104 дБ. Коэффициент нелинейных искажений для SACD: 0.0009%. Коэффициент нелинейных искажений для CD: 0.002%. Разделение каналов для SACD: 100 дБ.Разделение каналов для CD: 100 дБ. ЦАП: DSD1794 Разрядность: 24 бит Частота дискретизации: 192 кГц Цифровой фильтр: DSP (Marantz) Питание Блок питания: встроенный Съемный кабель питания - есть Тип трансформатора: тороидальный Потребляемая мощность - 26 Ватт Потребляемая мощность в режиме ожидания - 0,3 Вт Конструкция Транспорт: SACDM-2 Декодер - CXD1885Q Пульс ДУ: есть, универсальный RC001PMSA Дополнительно Количество треков в программе: 30 Цветовое	\$ 5 400
CD/SACD нлеер: Marantz SA-11S3 (Gold) (Premium series)	CD/SACD нлеер: Marantz SA-11S3 (Gold) (Premium series) Поддержка стандартов: SACD, MP3, WMA, CD-R, CD-RW, CD Подключение Входы: коаксиальный, оптический Выходы: линейный, балансный, оптический, коаксиальный, на наушники Поддержка iPod: есть Частотный диапазон для SACD: от 2 Гц до 50 кГц. Частотный диапазон для CD: от 2 Гц до 20 кГц. Динамический диапазон для SACD:114 дБ. Динамический диапазон для CD: 100 дБ. Соотношение сигнал-шум для SACD: 114 дБ. Соотношение сигнал-шум для CD: 104 дБ. Коэффициент нелинейных искажений для SACD: 0.0009%. Коэффициент нелинейных искажений для CD: 0.002%. Разделение каналов для SACD: 100 дБ.Разделение каналов для CD: 100 дБ. ЦАП: DSD1794 Разрядность: 24 бит Частота дискретизации: 192 кГц Цифровой фильтр: DSP (Marantz) Питание Блок питания: встроенный Съемный кабель питания - есть Тип трансформатора: тороидальный Потребляемая мощность - 26 Ватт Потребляемая мощность в режиме ожидания - 0,3 Вт Конструкция Транспорт: SACDM-2 Декодер - CXD1885Q Пульс ДУ: есть, универсальный RC001PMSA Дополнительно Количество треков в программе: 30 Цветовое	\$ 5 400
CD/SACD нлеер: Marantz SA-14S1 (Black)	CD/SACD нлеер: Marantz SA-14S1 (Black); SA-CD / CD playback, USB-A and DAC-Mode☐ (USB-B, opt & coax in) for HD-Audio, Marantz original SA-CD mechanism for accurate data☐ read out, USB-B port works in asynchronous mode and capable of☐ handling PCM up to 192kHz/24bits and DSD2.8 & 5.6Mhz☐ direct streaming, Analog audio circuits featuring Marantz HDAM®-SA2 for☐ high quality audio, High Current Audiophile DAC DSD1792 and accurate dual☐ system clock, Toroidal Transformer and high quality customized components, Rigid premium chassis offering high stability and☐ minimizing vibration, Fully discrete high current headphone amplifier, System remote to control Amplifier, CD-Player and☐ Network Player	\$ 3 466
CD/SACD нлеер: Marantz SA-14S1 (Gold)	CD/SACD нлеер: Marantz SA-14S1 (Gold); SA-CD / CD playback, USB-A and DAC-Mode☐ (USB-B, opt & coax in) for HD-Audio, Marantz original SA-CD mechanism for accurate data☐ read out, USB-B port works in asynchronous mode and capable of☐ handling PCM up to 192kHz/24bits and DSD2.8 & 5.6Mhz☐ direct streaming, Analog audio circuits featuring Marantz HDAM®-SA2 for☐ high quality audio, High Current Audiophile DAC DSD1792 and accurate dual☐ system clock, Toroidal Transformer and high quality customized components, Rigid premium chassis offering high stability and☐ minimizing vibration, Fully discrete high current headphone amplifier, System remote to control Amplifier, CD-Player and☐ Network Player	\$ 3 466
CD/SACD нлеер: Marantz SA-15S2 (Black) Limited Edition	CD/SACD нлеер: Marantz SA-15S2 (Black) Limited Edition☐ Audio CD,Super Audio CD, WMA Files, MP3 files playback;☐ Frequency range:Super Audio CD- 2Hz-100kHz, Audio CD - 2Hz-20kHz;☐ Frequency characteristics: Super Audio CD 2Hz-50kHz(-3dB),Audio CD 2Hz-20kHz (-0.15 dB);☐ Dynamic range - SACD - 112db; CD - 100db;☐ THD (1kHz) - SACD-0.0010%, CD - 0.0015%;☐ Headphone output - 30 mW/32 omhs;☐ Optical Readout System - Laser- AlGaAs, ☐ Wave length - SACD-650 nm, CD-780 nm;☐ Signal format - SACD - 1-bit DSD; CD - 16-bit liner PCM;☐ Sampling frequency - SACD-2.8224 Mhz, CD-44.1 kHz;☐ WMA Files - Bit rate [kbps] CBR: 48/64/80/96/128/160/192;☐ MP3 files - Bit rate [kbps] - For MPEG-1 Audio Layer3,☐ 32/40/48/56/64/80/96/112/128/160/☐ 192/224/256/320;☐ Power Consumption - 20 W;☐ 440x123x419 mm; Net weight - 13.5 kg.	\$ 2 700
CD/SACD нлеер: Marantz SA-15S2 (Gold)	CD/SACD нлеер: Marantz SA-15S2 (Gold)☐ CD Compatibility: CD/CD-R/RW/SA-CD/WMA/MP3;☐ HDAM version - HDAM+HDAM SA2;☐ Selectable filter: CD / SA-CD; Low noise LCD display;☐ Program Play (CD) - 24; Repeat, Random Play;☐ Sample Rate digital In - 96 kHz / 24-bit;☐ Headphone Out, Headphone Volume Control;☐ Mechanism - XYRON; Decoder - MT1389EE;☐ D/A Conversion - Multi-bit, Delta-Sigma;☐ Frequency Response - SACD- 2 Hz - 50 kHz, CD - 2 Hz - 20 kHz;☐ Dynamic Range - SACD- 112 dB, CD - 100dB;☐ Signal to Noise Ratio - SACD- 110 dB, CD - 110 dB;☐ Channel Separation - 98 dB;☐ Remote Control - RC003SA;☐ Power Consumption - 20 W;☐ 440 x 419 x 123 mm; Weight in kg - 13.5.	\$ 2 499
CD/SACD нлеер: Marantz SA-15S2 (Silver)	CD/SACD нлеер: Marantz SA-15S2 (Silver).☐ CD Compatibility: CD/CD-R/RW/SA-CD/WMA/MP3;☐ HDAM version - HDAM+HDAM SA2;☐ Selectable filter: CD / SA-CD; Low noise LCD display;☐ Program Play (CD) - 24; Repeat, Random Play;☐ Sample Rate digital In - 96 kHz / 24-bit;☐ Headphone Out, Headphone Volume Control;☐ Mechanism - XYRON; Decoder - MT1389EE;☐ D/A Conversion - Multi-bit, Delta-Sigma;☐ Frequency Response - SACD- 2 Hz - 50 kHz, CD - 2 Hz - 20 kHz;☐ Dynamic Range - SACD- 112 dB, CD - 100dB;☐ Signal to Noise Ratio - SACD- 110 dB, CD - 110 dB;☐ Channel Separation - 98 dB;☐ Remote Control - RC003SA;☐ Power Consumption - 20 W;☐ 440 x 419 x 123 mm; Weight in kg - 13.5.	\$ 2 499
Медиаплеер сетевой / Audiophile USB-DAC: Marantz NA 11S1 Black	Медиаплеер сетевой / Audiophile USB-DAC: Marantz NA 11S1 Black☐ Analogue Out 1x Cinch/1x XLR; Ethernet port;☐ Digital Inputs/Outputs : Coaxial/Optical;☐ Sample Rate digital In 192 kHz / 24-bit;☐ Marantz remote bus; RS232; Remote Control RC002NA;☐ Available colors: Gold/Black; Detachable Power Cable;☐ Power Consumption in W-50;Standby Consumption in W-0.4;☐ WxDxH - 440x417x127mm; Weight in kg - 14.6	\$ 4 100

Медиаплеер сетевой / Audiophile USB-DAC: Marantz NA 11S1 Gold	Медиаплеер сетевой / Audiophile USB-DAC: Marantz NA 11S1 Gold Analogue Out 1x Cinch/1x XLR; Ethernet port; Digital Inputs/Outputs : Coaxial/Optical; Sample Rate digital In 192 kHz / 24-bit; Marantz remote bus; RS232; Remote Control RC002NA; Available colors: Gold/Black; Detachable Power Cable; Power Consumption in W-50; Standby Consumption in W-0.4; WxDxH - 440x417x127mm; Weight in kg - 14.6	\$4 100
Медиаплеер сетевой / CD / FM: Marantz Melody Media - M-CR 610 Black	Медиаплеер сетевой / CD / DAB/ FM: Marantz Melody Media - M-CR 610 Black, 2 x 60 W, CD / CD-R/RW / WMA / MP3, Tuner: DAB / DAB+ / DMB-A / FM (RDS), Streaming audio from PC, Internet radio, MP3 / WMA / AAC / WAV / FLAC / Real Audio, 5 Hz - 22 kHz, Signal to Noise Ratio (audio) 86 dB, Remote Control RC009CR, 292 x 112 x 303 mm, 3.4 kg.	\$978
Медиаплеер сетевой / CD / FM: Marantz Melody Media - M-CR 610 Black-White	Медиаплеер сетевой / CD / DAB/ FM: Marantz Melody Media - M-CR 610 Black-White, 2 x 60 W, CD / CD-R/RW / WMA / MP3, Tuner: DAB / DAB+ / DMB-A / FM (RDS), Streaming audio from PC, Internet radio, MP3 / WMA / AAC / WAV / FLAC / Real Audio, 5 Hz - 22 kHz, Signal to Noise Ratio (audio) 86 dB, Remote Control RC009CR, 292 x 112 x 303 mm, 3.4 kg.	\$978
Медиаплеер сетевой / iPod, iPad, iPhone Doc: Marantz MS 7000 Consolette (Silk Black)	Медиаплеер сетевой / iPod, iPad, iPhone Doc: Marantz MS 7000 Consolette (Silk Black) Dock for iPod/iPhone/iPad; Wi-Fi built in / Ethernet; NetLink; AirPlay music streaming; Wireless music streaming from Android and Network; Compatible streaming file types - MP3/WMA/WAV/FLAC/LPCM; Internet radio; Presets - 6; USB Audio (rear) (USB memory); Remote App - iDevice; Clock; Sleep Timer; Programmable Timer - Once/Daily/Weekly; 2x 25W (BMR) ; 2x 50W (Woofer); Drivers - 2x Tweeter (BMR Driver) (65x65mm); 180° Sound Dispersion; Wireless LAN standards - IEEE 802.11b/g; Available colours - Silk Black / Silver White; Remote Control; Power Consumption - 50W; WxDxH 541x214x261 mm; Weight - 8.1 kg.	\$1 350
Медиаплеер сетевой / iPod, iPad, iPhone Doc: Marantz MS 7000 Consolette (Silver White)	Медиаплеер сетевой / iPod, iPad, iPhone Doc: Marantz MS 7000 Consolette (Silver White) Dock for iPod/iPhone/iPad; Wi-Fi built in / Ethernet; NetLink; AirPlay music streaming; Wireless music streaming from Android and Network; Compatible streaming file types - MP3/WMA/WAV/FLAC/LPCM; Internet radio; Presets - 6; USB Audio (rear) (USB memory); Remote App - iDevice; Clock; Sleep Timer; Programmable Timer - Once/Daily/Weekly; 2x 25W (BMR) ; 2x 50W (Woofer); Drivers - 2x Tweeter (BMR Driver) (65x65mm); 180° Sound Dispersion; Wireless LAN standards - IEEE 802.11b/g; Available colours - Silk Black / Silver White; Remote Control; Power Consumption - 50W; WxDxH 541x214x261 mm; Weight - 8.1 kg.	\$1 350
Медиаплеер сетевой: Marantz Melody Media - M-CR 510 Black	Медиаплеер сетевой: Marantz Melody Media - M-CR 510 Black, 2 x 60 W, Streaming audio from PC, Internet radio, MP3 / WMA / AAC / FLAC / ALAC / WAV, 5 Hz - 22 kHz, Signal to Noise Ratio (audio) 86 dB, Remote Control, 292 x 78 x 302 mm, 2.7 kg.	\$744
Медиаплеер сетевой: Marantz Melody Media - M-CR 510 Black-White	Медиаплеер сетевой: Marantz Melody Media - M-CR 510 Black-White, 2 x 60 W, Streaming audio from PC, Internet radio, MP3 / WMA / AAC / FLAC / ALAC / WAV, 5 Hz - 22 kHz, Signal to Noise Ratio (audio) 86 dB, Remote Control, 292 x 78 x 302 mm, 2.7 kg.	\$744
Стерео усилитель: Marantz PM 11S3 (Black) (Premium series)	Стерео усилитель: Marantz PM 11S3 (Black) (Premium series) Channels - 2; BI-AMP and Multichannel option; Power Transformer: Toroidal; HDAM version SA3; Phono EQ: Constant Current Feedback; Marantz Remote App control - (w/ NA-11S1); Audio Inputs - 5; Phono Input: MM/MC; Audio Outputs - 2; Balanced In; Pre-out; Speaker A/B; Headphone Out; Speaker Terminal - Marantz SPKT-100; Power Output (8/4 Ohm RMS) - 100/200W; Power Output (8/4 Ohm DIN) 120/210W; Power Output (8/4 Ohm IHF) 140/260W; Frequency Response - 5Hz-100kHz; Total Harmonic Distortion - 0.01%; Damping Factor - 100; Input Sensitivity MM - 2.8mV/47kohm; Input Sensitivity MC - 270mV/100ohm; Signal to Noise Ratio - MM/MC 87dB/78dB; Input Sensitivity: High level 240mV/20kohm; Input Sensitivity: Balanced High level 480mV/40kohm; Signal to Noise Ratio High level 96dB; Available colors: Gold/Black; Detachable Power Cable; Power Consumption in W - 300; Standby Consumption in W - 0.3; Remote Control RC001PMSA; (W x D x H) in mm 440 x 449 x 168; Weight in kg - 27.0	\$5 300
Стерео усилитель: Marantz PM 11S3 (Gold) (Premium series)	Стерео усилитель: Marantz PM 11S3 (Gold) (Premium series) Channels - 2; BI-AMP and Multichannel option; Power Transformer: Toroidal; HDAM version SA3; Phono EQ: Constant Current Feedback; Marantz Remote App control - (w/ NA-11S1); Audio Inputs - 5; Phono Input: MM/MC; Audio Outputs - 2; Balanced In; Pre-out; Speaker A/B; Headphone Out; Speaker Terminal - Marantz SPKT-100; Power Output (8/4 Ohm RMS) - 100/200W; Power Output (8/4 Ohm DIN) 120/210W; Power Output (8/4 Ohm IHF) 140/260W; Frequency Response - 5Hz-100kHz; Total Harmonic Distortion - 0.01%; Damping Factor - 100; Input Sensitivity MM - 2.8mV/47kohm; Input Sensitivity MC - 270mV/100ohm; Signal to Noise Ratio - MM/MC 87dB/78dB; Input Sensitivity: High level 240mV/20kohm; Input Sensitivity: Balanced High level 480mV/40kohm; Signal to Noise Ratio High level 96dB; Available colors: Gold/Black; Detachable Power Cable; Power Consumption in W - 300; Standby Consumption in W - 0.3; Remote Control RC001PMSA; (W x D x H) in mm 440 x 449 x 168; Weight in kg - 27.0	\$5 300
Стерео усилитель: Marantz PM 14S1 (Black)	Стерео усилитель: Marantz PM 14S1 (Black); 2x 90Watts (8 ohm) / 2x 140 Watts (4 ohm), HDAM & Current feedback Amp of Marantz Unique: technology for High Quality Sound, Current feedback amplifier provides wide range, very fast and accurate signal handling, Marantz proprietary HDAM® SA3 circuits, Strong power supply with high current type schottky diode, Marantz original solid pure copper speaker terminals SPKT-100, High quality Linear Control Volume Dual circuit, CCFB (Constant Current Feedback) MM/MC phono equalizer with V/I servo, Toroidal Transformer, rigid premium chassis, Low Noise LCD display, Power Amp Direct input for easy integration in an AV setup	\$3 490
Стерео усилитель: Marantz PM 14S1 (Gold)	Стерео усилитель: Marantz PM 14S1 (Gold); 2x 90Watts (8 ohm) / 2x 140 Watts (4 ohm), HDAM & Current feedback Amp of Marantz Unique: technology for High Quality Sound, Current feedback amplifier provides wide range, very fast and accurate signal handling, Marantz proprietary HDAM® SA3 circuits, Strong power supply with high current type schottky diode, Marantz original solid pure copper speaker terminals SPKT-100, High quality Linear Control Volume Dual circuit, CCFB (Constant Current Feedback) MM/MC phono equalizer with V/I servo, Toroidal Transformer, rigid premium chassis, Low Noise LCD display, Power Amp Direct input for easy integration in an AV setup	\$3 490
Стерео усилитель: Marantz PM 15S2 (Black) Limited Edition	Стерео усилитель: Marantz PM 15S2 (Black) Limited Edition Power output (20 Hz – 20 kHz simultaneous drive of both channels) - 8 Ohm - 2x90W; 4 Ohm - 2x140W; Headphone rated output (When speaker rated output set to 8 Ohm load) - 120mW x 2 (32 Ohm load) Total harmonic distortion (20Hz – 20kHz simultaneous drive of both channels, 8 Ω load) - 0.05 %; Output band width (8Ohm load, 0.05%) - 5 Hz ~ 40 kHz; Frequency response (CD, 1W, 8Ohm load) - 5 Hz ~ 100 kHz ±3 dB; Damping factor (8Ohm load, 20Hz – 20kHz) - 100; Maximum allowed PHONO input (1kHz) - MC - 15 mV, MM - 150mV; Power consumption - 220 W 440x123x444 mm; Weight : 18.5 kg.	\$2 900

Стерео усилитель: Marantz PM 15S2 (Gold)	Стерео усилитель: Marantz PM 15S2 (Gold)□ Power Output (8 / 4 Ohm RMS) - 90 W/140 W;□ Frequency Response - 5 Hz-100 kHz;□ Total Harmonic Distortion - 0.05 %;Damping Factor - 100;□ Input Sensitivity: MM - 2.7 mV / 47 kOhm;□ Input Sensitivity: MC - 270 μV / 100 ohm;□ Signal to Noise Ratio: MM / MC - 86 dB / 75 dB;□ Power Consumption - 220 W; Remote Control - RC001PM;□ 440 x 444 x 123 mm; Weight in kg - 18.5.	\$2 750
Стерео усилитель: Marantz PM 15S2 (Silver)	Стерео усилитель: Marantz PM 15S2 (Silver)□ Power Output (8 / 4 Ohm RMS) - 90 W/140 W;□ Frequency Response - 5 Hz-100 kHz;□ Total Harmonic Distortion - 0.05 %;Damping Factor - 100;□ Input Sensitivity: MM - 2.7 mV / 47 kOhm;□ Input Sensitivity: MC - 270 μV / 100 ohm;□ Signal to Noise Ratio: MM / MC - 86 dB / 75 dB;□ Power Consumption - 220 W; Remote Control - RC001PM;□ 440 x 444 x 123 mm; Weight in kg - 18.5.	\$2 750
Стерео усилитель: Marantz PM 5004 Black	Стерео усилитель: Marantz PM 5004 Black, Speaker A/B, Phono Input -MM, Phono Input MM, Power Output (8/4 Ohm RMS) 40/55W, Frequency Range 10Hz - 50kHz, Damping Factor 100 dB, Signal to Noise High Level -100dB, Headphone Out, RC-RC003PM, 440 x 369.5 x 104mm, 6.7 kg.	\$545
Стерео усилитель: Marantz PM 5004 Silver Gold	Стерео усилитель: Marantz PM 5004 Silver , Speaker A/B, Phono Input -MM, Phono Input MM, Power Output (8/4 Ohm RMS) 40/55W, Frequency Range 10Hz - 50kHz, Damping Factor 100 dB, Signal to Noise High Level -100dB, Headphone Out, RC-RC003PM, 440 x 369.5 x 104mm, 6.7 kg.	\$545
Стерео усилитель: Marantz PM 6004 (Black)	Стерео усилитель: Marantz PM 6004 (Black)□ Power Output (8 / 4 Ohm RMS) - 2x45 W / 60 W;□ Frequency Response - 10 Hz - 70 kHz;□ Total Harmonic Distortion - 0.0008;□ Damping Factor - 100; Phono Input: MM;□ Input Sensitivity: MM - 2 mV / 47 kOhm;□ Signal to Noise Ratio: MM - 84 dB;□ Input Sensitivity: High level - 200 mV / 20 kOhm;□ Signal to Noise Ratio: High level - 87 dB;□ Headphone Out;□ Power Consumption in W - 150;□ Auto power off; Detachable Power Cable;□ Remote Control - RC003PM;□ 440 x 366 x 105mm; 7.5 kg.	\$797
Стерео усилитель: Marantz PM 6004 (SG)	Стерео усилитель: Marantz PM 6004 (SG)□ Power Output (8 / 4 Ohm RMS) - 2x45 W / 60 W;□ Frequency Response - 10 Hz - 70 kHz;□ Total Harmonic Distortion - 0.0008;□ Damping Factor - 100; Phono Input: MM;□ Input Sensitivity: MM - 2 mV / 47 kOhm;□ Signal to Noise Ratio: MM - 84 dB;□ Input Sensitivity: High level - 200 mV / 20 kOhm;□ Signal to Noise Ratio: High level - 87 dB;□ Headphone Out;□ Power Consumption in W - 150;□ Auto power off; Detachable Power Cable;□ Remote Control - RC003PM;□ 440 x 366 x 105mm; 7.5 kg.	\$797
Стерео усилитель: Marantz PM 6005 (Black)	Стерео усилитель: Marantz PM 6005 (Black); Integrated Current Feedback Amplifier with 2x 45W / 8 ohm rms, Digital input (opt. / coax.) to extend connectivity, Best audio from digital input signal by high quality;□ DAC CS4398 and Marantz HDAM SA2, Fully shielded DAC unit, Gold Plated Inputs/Outputs incl. Phono (MM) input, Marantz proprietary HDAM-SA3 circuits, Toroidal Transformer and high quality customized□ components, High quality Speaker Terminals (A / B switchable), System remote to control Amplifier, CD-Player;□ and Network Player	\$872
Стерео усилитель: Marantz PM 6005 (SG)	Стерео усилитель: Marantz PM 6005 (SG); Integrated Current Feedback Amplifier with 2x 45W / 8 ohm rms, Digital input (opt. / coax.) to extend connectivity, Best audio from digital input signal by high quality;□ DAC CS4398 and Marantz HDAM SA2, Fully shielded DAC unit, Gold Plated Inputs/Outputs incl. Phono (MM) input, Marantz proprietary HDAM-SA3 circuits, Toroidal Transformer and high quality customized□ components, High quality Speaker Terminals (A / B switchable), System remote to control Amplifier, CD-Player;□ and Network Player□ Power Output (8 / 4 Ohm RMS) - 2x45 W / 60 W;□ Frequency Response - 10 Hz - 70 kHz;□ Total Harmonic Distortion - 0.0008;□ Damping Factor - 100; Phono Input: MM;□ Input Sensitivity: MM - 2 mV / 47 kOhm;□ Signal to Noise Ratio: MM - 84 dB;□ Input Sensitivity: High level - 200 mV / 20 kOhm;□ Signal to Noise Ratio: High level - 87 dB;□ Headphone Out;□ Power Consumption in W - 150;□ Auto power off; Detachable Power Cable;□ Remote Control - RC003PM;□ 440 x 366 x 105mm; 7.5 kg.	\$872
Стерео усилитель: Marantz PM KI Pearl Light (Black)	Стерео усилитель: Marantz PM KI Pearl Light (Black)□ • Ограниченное издание - Limited Edition□ • Уникальная шелковисто-жемчужная отделка□ • 140 Вт/канал на 4 Ом, 90 Вт/канал на 8 Ом□ • Алюминиевая крышка толщиной 5 мм, массивные алюминиевые опоры□ • Дополнительная тяжелая нижняя пластина, медное покрытие шасси□ • Высококачественные аудио компоненты□ • Фирменные гипердинамичные модули HDAM-SA3 и HDAM-SA2□ • Торoidalный трансформатор в экранирующем корпусе□ • Двухкаскадная схема усиления мощности на дискретных компонентах;□ • 6 аудио входов, 2 выхода Pre-out□ • Схема фоновкорректора с обратной связью по постоянному току (MM/MC)□ • Буферная схема на входе CD direct□ • Отдельный вход на усилитель мощности Main in□ • Массивные колоночные клеммы WBT□ • Диапазон частот: 5 Гц - 100 кГц, искажения (THD): 0.05%, демпинг-фактор: 100□ • Входная чувствительность, MM/MC: 2.8 мВ (MM) / 0.27 мВ (MC), лин. вход: 240 мВ□ • Отношение с/ш, MM/MC: 87 дБ (MM) / 75 дБ (MC), лин. вход: 89 дБ□ • Потребление: 220 Вт, размеры, мм: 440x444x127, вес: 20 кг	\$1 820
Стерео усилитель: Marantz PM KI Pearl Light (Silver Gold)	Стерео усилитель: Marantz PM KI Pearl Light (Silver Gold)□ • Ограниченное издание - Limited Edition□ • Уникальная шелковисто-жемчужная отделка□ • 140 Вт/канал на 4 Ом, 90 Вт/канал на 8 Ом□ • Алюминиевая крышка толщиной 5 мм, массивные алюминиевые опоры□ • Дополнительная тяжелая нижняя пластина, медное покрытие шасси□ • Высококачественные аудио компоненты□ • Фирменные гипердинамичные модули HDAM-SA3 и HDAM-SA2□ • Торoidalный трансформатор в экранирующем корпусе□ • Двухкаскадная схема усиления мощности на дискретных компонентах;□ • 6 аудио входов, 2 выхода Pre-out□ • Схема фоновкорректора с обратной связью по постоянному току (MM/MC)□ • Буферная схема на входе CD direct□ • Отдельный вход на усилитель мощности Main in□ • Массивные колоночные клеммы WBT□ • Диапазон частот: 5 Гц - 100 кГц, искажения (THD): 0.05%, демпинг-фактор: 100□ • Входная чувствительность, MM/MC: 2.8 мВ (MM) / 0.27 мВ (MC), лин. вход: 240 мВ□ • Отношение с/ш, MM/MC: 87 дБ (MM) / 75 дБ (MC), лин. вход: 89 дБ□ • Потребление: 220 Вт, размеры, мм: 440x444x127, вес: 20 кг	\$1 820
Пылезащитный акриловый короб для проигрывателя Marantz TT-15, AC 109	Оптимальная защита от пыли и механических повреждений, вызванных случайным падением различных предметов на аналоговый проигрыватель и (или) его составные части. Материал: прозрачный акрил. Габариты (Ш x Д x В): 480 x 380 x 175 мм. Произведено в Германии.	\$405

Повторитель для ДУ: Marantz RX-7001	Повторитель. RF to IR converter, 4 IR outputs, incl. power supply and 4 twin IR flashers.	\$280
Повторитель для ДУ: Marantz RX-9001	Повторитель. RF to IR converter, 4 IR outputs, incl. power supply and 4 twin IR flashers.	\$1 068
Пульт ДУ: Marantz RC9001	Универсальный пульт ДУ. Програмируемый. Обучаемый. Программирование виртуальных клавиш и последовательности команд осуществляется на ПК в виде файлов формата PCF. Для связи с компьютером пульт оснащен интерфейсом USB 1.1. ППЗУ емкостью 8 Мб. Пульт может ра	\$1 900

Салон домашних кинотеатров и Hi-Fi аудио Ультрагоризонт Львов