

■ SPECTRAL

CATENA PLANNING



Got something planned for today?

Introducing Catena: individually-customisable home cinema and lounge furniture from Spectral. With cabinets in various widths, heights and depths. Plus flaps, doors and drawers. Scratch-resistant glass surfaces in over 2,000 colours. High-quality lounge furniture upholstery. A variety of mounting solutions for flat-screen televisions. Plus, an integrated virtual surround sound system for authentic, concert-like sound – without visible cables, intrusive loudspeakers, subwoofer or receiver.





Integrated virtual
surround sound system
with amplifier

Unleash the architect within you.

Some paper, a pen and your imagination – that's all you need to create your own, personal dream furniture. Rather than leave you entirely on your own on your debut as an architect, we've put together the following pages to give you an idea of the configuration options.

Wall cabinet with high-quality flap mechanism

Panel with TV mount and integrated cable guides

Cabinets in different widths and heights. High-quality flap mechanism ensures soft opening and closing. Variation: Drawer with premium soft closing mechanism

High-quality leather seat cover




— Wall cabinets with doors in various styles

Base or wall mounting

With back wall for positioning as a room partition

Catena can be expanded every which way.

The L, T and X elements in Catena offer boundless design possibilities. Optional glass back panels make them suitable for placing in a central location. In addition, premium leather covers make them perfect for sitting on while taking in the sound.





Long may your Catena flourish.

In contrast to the high-gloss painted surfaces of other furniture items, the glass surfaces of CATENA are considerably brighter, more scratch-resistant and much easier to look after. As with almost all other Spectral furniture, Catena is available in over 2,000 colours. Even combinations (e.g. white front and black glass support) are possible.



High-gloss, scratch-resistant glass surface in over 2,000 colours

Toughened, impact-resistant edges in anodised aluminium



The most beautiful aspect of Catena is everything that you do not see.

When we built Catena, we thought long and hard about cable management. Horizontal cable holes between the cabinet units allow technical devices to be cleanly cabled together. Recesses provide room for multiple sockets behind the furniture. Cable curtains serve as a screen (from the front) and as dust protection (from the back). Screens in compartments with no components prevent a view of the back area.



Rotatable TV mount with
integrated cable guides

Plenty of space for
multiple socket outlets

Horizontal cable holes for
easily cabling between devices



Without a cable curtain:
unsightly mess of cables
when furniture flap is open



With a cable curtain:
cables are not visible
even when flap is open

Sound praise from all sides.

In order to appreciate your new Catena with your ears as well as with your eyes, it comes with integrated virtual sound systems. Depending on the furniture size, you have a choice of a one module system (CTA1) or a four module system (CTA2) with a proportionately bigger sound stage. Both systems incorporate a speaker unit with built-in subwoofer and a digital surround receiver (amplifier with an integrated RDS tuner/radio).

To listen to a CD, iPod or the radio, simply select **Stereo Mode** for full, rich stereo sound. If you prefer to watch a film, select **Virtual Surround Mode 1**. To listen to a music DVD (e.g. a live concert), select **Virtual Surround Mode 2**.

Tests conducted by specialist magazines have proven that the sound matches that of genuine surround systems.





How does Virtual Surround Sound work?

With virtual surround sound, a single speaker unit incorporates the left speaker, the right speaker and the subwoofer (2.1). With the help of advanced sound processing, your ear perceives a surround effect without the need for five speakers and a subwoofer, as you would have with a conventional 5.1 surround system. With the Dolby SRS technology no walls or other reflective surfaces are needed.

Benefits of the CTA1/CTA2 virtual surround sound systems:

- no visible cables
- no speaker stands
- integrated subwoofer
- integrated surround receiver
- universal remote control
- simple installation in just 10 minutes
- user-defined sound positioning within the room
- ultra low heat generation thanks to the digital amplifier
- Perfectly matching and complementing components with each other.

Technical data:

- supports Dolby® Digital, Dolby® Pro Logic®II, DTS® and Stereo
- digital power amp with 350 watts
- loudspeaker impedance: 4 ohm
- frequency range: 30 Hz to 24 kHz
- inputs: 2 x analogue, 4 x digital
- FM radio tuner with RDS



Integration into a 5.1 system:

Catena sound systems (CTA1 and CTA2) can be used as a full 5.1 surround system in combination with 2 cordless radio back speakers. The benefit compared to a conventional 5.1 system: no unsightly cables lying about and no obtrusive front speakers.

Passive stereo sound system (CTP1):

If you already own a valuable amplifier or A/V receiver but are fed up with intrusive stereo speakers, then Catena's integrated passive stereo sound system (CTP1) is the perfect solution for you.

Infrared link system:

With the infrared link system you can also control your other A/V components when the furniture flaps are closed. The flap must remain open during operation for devices that generate more heat. Please refer to the respective manufacturer's operating instructions.

Give your equipment a break from the heat.

To ensure devices don't overheat due to the increased heat generation, Catena flaps are also available with fabric covering. Another benefit of flaps with fabric covering: front loud speakers and subwoofers can be concealed in the furniture and operated without having them standing about in the living room.



Upper cabinet: fabric cover
for CTA2 sound system

Upper cabinet: fabric cover
for CTA2 sound system



Upper cabinet: fabric-covered flap for extra ventilation for devices which generate increased heat, such as media servers, game consoles or Blu-ray players



Fabric-covered flap for storing
a subwoofer in the furniture

Got five different remote controls? That's precisely four too many.

DVD player, Sat receiver, television, amplifier, tuner: if you want to enjoy home entertainment from a traditional separates-based system from your sofa, you'll usually find your hands full with several different remotes. Thanks to the new Spectral universal remote control, this chaotic situation can now be remedied. Having programmed it once, you can control all your A/V devices – even behind closed flaps when using the optional infrared link system.






Sat receiver

CD/DVD player

A/V receiver

Game console



Infrared link system
(accessory) for operating
up to 4 devices when the
furniture flaps are closed



Infrared link system's eye,
mounted, for example,
below the TV

Spectral presents: top drawer presentations.

Impress your business partners and friends – with the integrated Catena projector drawer. Externally invisible and concealed within the furniture, the projector is ready for use in just a few seconds by pulling out the drawer. Combined with an integrated sound system, Catena becomes an elegant complete solution for training rooms, conference rooms and offices – with no complex installation of loudspeakers or projectors.



Projector drawer (for
Hitachi® ultra wide angle
projector CP-AW250NM)



Mobile projector trolley for use in different rooms



Sitting comfortably.

Premium seat covers made from soft, hardwearing genuine leather are available, in addition to the standard glass tops, transforming Catena into an elegant, comfortable bench for your living room, office or lounge areas.



It's show time.


Lights out, drawer open, projector on, action – that's all it takes to transform Catena into a captivating home cinema. The multi-colour LED illumination creates a special ambiance. The system's infrared remote control lets you choose a colour to suit your mood, or create a fascinating light show. Along with the colours, you can also opt for a pleasant white light. The brightness is adjustable.



Integrated virtual surround sound system for impressive sound without loudspeakers and cables lying about



Projector drawer for the Hitachi® ultra wide angle projector CP-AW250NM. For a home cinema experience without the hassle of installing a projector and laying metres of expensive cables



Indirect lighting with remote-controlled multi-coloured LED strips

Our tuning package for your Catena.

If you prefer the finer things in life, you'll simply love the Catena upgrade programme.
Our latest extras include glass side panels for all cabinet sizes, mirrored back panels for wall cabinets
and back panels with counter-sunk TV mount.



Panel with recesses for
telescopic TV mounts



Swivelling TV mount permits
viewing from almost any angle





Without glass side panel



With glass side panel



Mirrored back panel for wall cabinets, e.g. for use as a minibar



Everything in order?

That's one question that you can answer with an emphatic "Yes" in future. With Catena, a host of practical elements are available for hanging files, CDs, DVDs, keys, pens, mobile phones, coffee pads and bottles, all of which will help to keep your home or office tidy.










Step by step to your dream furniture.

With the Catena planning document below, you can put together your Catena system yourself, piece by piece. Or you can plan it together with your Catena retailer, who'll help you to configure your furniture on a computer using the 3D Catena planning software.

Planning made simple thanks
to the Catena planning software
at your local retailer





Bases for cabinets with a width of 650 mm and depth of 550 mm

CTS65	Base
CTS65i	Base with multi-colour LED illumination *
CTS65rt	Base for room partition
CTS65rti	Base for room partition with double-sided multi-colour LED illumination *

Bases for cabinets with a width of 1300 mm and depth of 550 mm

CTS130	Base
CTS130i	Base with multi-colour LED illumination *
CTS130rt	Base for room partition
CTS130rti	Base for room partition with double-sided multi-colour LED illumination *

Bases for cabinets with a width of 1950 mm and depth of 550 mm

CTS195	Base
CTS195i	Base with multi-colour LED illumination *
CTS195rt	Base for room partition
CTS195rti	Base for room partition with double-sided multi-colour LED illumination *

Bases for cabinets with a width of 2600 mm and depth of 550 mm

CTS260	Base
CTS260i	Base with multi-colour LED illumination *
CTS260rt	Base for room partition
CTS260rti	Base for room partition with double-sided multi-colour LED illumination *

Wheeled bases for cabinets with a width of 650 mm/1300 mm and a depth of 550 mm

CTSR65	Wheeled bases for cabinets with a width of 650 mm
CTSR130	Wheeled bases for cabinets with a width of 1300 mm
	Wheeled bases come with large, robust and smooth-running wheels. Lock mechanism included.

Bases for cabinets/wall cabinets with a width of 433 mm and depth of 370 mm

CTS43-31	Base
CTS43-31i	Base with multi-colour LED illumination *

Bases for cabinets/wall cabinets with a width of 650 mm and depth of 370 mm

CTS65-31	Base
CTS65-31i	Base with multi-colour LED illumination *

Bases for cabinets/wall cabinets with a width of 1300 mm and depth of 370 mm

CTS130-31	Base
CTS130-31i	Base with multi-colour LED illumination *


Bases for cabinets/wall cabinets with a width of 1950 mm and depth of 370 mm

CTS195-31	Base
CTS195-31i	Base with multi-colour LED illumination *


Additional information:

* Further information regarding the multi-colour LED illumination can be found on p. 21 and p. 33

Cabinets with a width of 650 mm and depth of 550 mm




- CT1F** Open cabinet
Black body (SW)
Walnut body (N) *



- CT1K** Cabinet with flap
Black body (SW)
Walnut body (N) *
Surcharge for front in aluminium (AL), walnut (N)
flap with black fabric covering



- CT1S** Cabinet with drawer
Black body (SW)
Walnut body (N) *
Surcharge for front in aluminium (AL), walnut (N)



- CT2F** Open cabinet with glass shelves
Black body (SW)
Walnut body (N) *
Additional glass shelves (adjustable height)




- CT2K** Cabinet with flap and glass shelves
Black body (SW)
Walnut body (N) *
Surcharge for front in aluminium (AL), walnut (N)
flap with black fabric covering
Additional glass shelves (adjustable height)



- CT2S** Cabinet with drawer
Black body (SW)
Walnut body (N) *
Surcharge for front in aluminium (AL), walnut (N)
Glass shelves (adjustable height)

Wall mount for cabinets with a width of 650 mm and depth of 550 mm




- CTW65** Wall mount for cabinets CT1 and CT2
(for information regarding load weight, please refer to p. 42)

Additional information:


- Surcharge per NCS colour (relative to the entire element)
- Optional cable holes left (L), right (R), left and right (LR)
surcharge per cable hole
- For information regarding load weight, please refer to p. 42

* Cabinets in walnut come with top and floor panels in black (SW) as standard.


Cabinets with a width of 1300 mm and depth of 550 mm




- CT3F** Open cabinet
Black body (SW)
Walnut body (N) *




- CT3K** Cabinet with flap
Black body (SW)
Walnut body (N) *
Surcharge for front in aluminium (AL), walnut (N)
flap with black fabric covering




- CT3S** Cabinet with drawer
Black body (SW)
Walnut body (N) *
Surcharge for front in aluminium (AL), walnut (N)




- CT4F** Open cabinet with 2 glass shelves
Black body (SW)
Walnut body (N) *
Additional glass shelves (adjustable height)



- CT4K** Cabinet with 2 glass shelves
Black body (SW)
Walnut body (N) *
Surcharge for front in aluminium (AL), walnut (N)
flap with black fabric covering
Additional glass shelves (adjustable height)



- CT4S** Cabinet with drawer
Black body (SW)
Walnut body (N) *
Surcharge for front in aluminium (AL), walnut (N)
Glass shelves (adjustable height)



- CTW130** Wall mount for cabinets CT3 and CT4
(for information regarding load weight, please refer to p. 42)

Additional information:

- Surcharge per NCS colour (relative to the entire element)
- Optional cable holes left (L), right (R), left and right (LR)
surcharge per cable hole
- For information regarding load weight, please refer to p. 42

* Cabinets in walnut come with top and floor panels in black (SW) as standard.

Elements for L, T and X solutions

CTE1 Corner element with a height of 210 mm

CTE2 Corner element with a height of 420 mm

CTE3 Mounting plate with a height of 210 mm

CTE4 Mounting plate with a height of 420 mm

CTSE2 Base L element

CTSE3 Base T element

CTSE4 Base X element

CTG31 Glass shelf for L element

CTG32 Glass shelf for T element

CTG33 Glass shelf for X element

CTLE1 Black seat cover for L element

CTLE2 Black seat cover for T element

CTLE3 Black seat cover for X element

CTR5 Rear panel room partition (545 x 205 mm), for use with L element with a height of 210 mm

CTR6 Rear panel room partition (545 x 415 mm), for use with L element with a height of 420 mm

CTR7 Rear panel room partition (566 x 205 mm), for use with L element with a height of 210 mm

CTR8 Rear panel room partition (566 x 415 mm), for use with L element with a height of 420 mm


CTR9 Rear panel room partition (587 x 205 mm), for use with T element with a height of 210 mm

CTR10 Rear panel room partition (587 x 415 mm), for use with T element with a height of 420 mm

Depending on setup/space situation, different rear panels can be mounted. Selection can be made during an individual planning consultation. Please provide a sketch.


Catena can be arranged freely. The L, T and X elements offer boundless design possibilities.


Tip: You can also choose leather seat covers instead of glass which transform Catena into an elegant seating solution.



Here's how it works:

The corner element serves as the base, to which the Catena elements are connected using the mounting plate. If the back is open, the rear panel room partition element can be used to close it. This isn't necessary if the element is positioned against the wall.





Cabinet with a depth of 370 mm including wall mount

CT5K Cabinet with flap at the bottom and glass shelves (adjustable height)
Black body (SW)
Walnut body (N) *
Surcharge for front in aluminium (AL), walnut (N)

CT5KO Cabinet with flap at the top and glass shelves (adjustable height)
Black body (SW)
Walnut body (N) *
Surcharge for front in aluminium (AL), walnut (N)

CT5S Cabinet with drawer
Black body (SW)
Walnut body (N) *
Surcharge for front in aluminium (AL), walnut (N)

CT6K Cabinet with flap at the bottom and 2 glass shelves (adjustable height)
Black body (SW)
Walnut body (N) *
Surcharge for front in aluminium (AL), walnut (N)

CT6KO Cabinet with flap at the top and 2 glass shelves (adjustable height)
Black body (SW)
Walnut body (N) *
Surcharge for front in aluminium (AL), walnut (N)

CT6S Cabinet with drawer
Black body (SW)
Walnut body (N) *
Surcharge for front in aluminium (AL), walnut (N)

CT7 Cabinet with 2 doors on the left, 1 door on the right and 2 glass shelves (adjustable height)
Black body (SW)
Walnut body (N) *
Surcharge for front in aluminium (AL), walnut (N)

CT8L Cabinet with door on the left and 2 glass shelves (adjustable height)
CT8R Cabinet with door on the right and 2 glass shelves (adjustable height)
Black body (SW)
Walnut body (N) *
Surcharge for front in aluminium (AL), walnut (N)

CT9L Cabinet with door on the left and 4 glass shelves (adjustable height)
CT9R Cabinet with door on the right and 4 glass shelves (adjustable height)
Black body (SW)
Walnut body (N) *
Surcharge for front in aluminium (AL), walnut (N)

CT10L Cabinet with 2 doors on the left and 4 glass shelves (adjustable height)
CT10R Cabinet with 2 doors on the right and 4 glass shelves (adjustable height)
Middle shelf made of wood
Black body (SW)
Walnut body (N) *
Surcharge for front in aluminium (AL), walnut (N)

Glass boards


CTH1 Glass board with a width of 650 mm
CTH3 Glass board with a width of 1300 mm
(for information regarding load weight, please refer to p. 42)

Additional information about the cabinets with a depth of 370 mm:

- Cabinets with flaps come with a handle-free push-to-open mechanism
- Cabinets with drawers come with handles
- Load-bearing capacity of wall-mounted cabinets max. 80 kg (for information regarding load weight, please refer to p. 42)

* Cabinets in walnut come with top and floor panels in black (SW) as standard.


Glass supports for cabinets with a width of 650 mm and depth of 550 mm



- CTG1** Glass support
- CTG2** Glass support with cable opening in the middle

- CTG10** Glass support with rotatable TV mount
Rotatable angle of turn 90°, maximum load 40 kg


Glass supports for cabinets with a width of 1300 mm and depth of 550 mm



- CTG3** Glass support
- CTG4** Glass support with cable opening in the middle
- CTG4L** Glass support with cable opening on the left (distance to edge 325 mm)
- CTG4R** Glass support with cable opening on the right (distance to edge 325 mm)

- CTG11** Glass support with rotatable TV mount
Angle of turn 90°, maximum load 40 kg

Glass supports for cabinets with a width of 1950 mm and depth of 550 mm




- CTG5** Glass support
- CTG6** Glass support with cable opening in the middle
- CTG6L** Glass support with cable opening on the left (distance to edge 325 mm)
- CTG6R** Glass support with cable opening on the right (distance to edge 325 mm)

- CTG14** Glass support with rotatable TV mount. Mount located in the middle
- CTG14L** Glass support with rotatable TV mount. Mount located on the left (distance to edge 650 mm)
- CTG14R** Glass support with rotatable TV mount. Mount located on the right (distance to edge 650 mm)

Rotatable mount: angle of turn 90°, maximum load 40 kg

Glass supports for cabinets with a width of 2600 mm and depth of 550 mm



- CTG7** Glass support
- CTG8** Glass support with cable opening in the middle
- CTG8L** Glass support with cable opening on the left (distance to edge 550 mm)
- CTG8R** Glass support with cable opening on the right (distance to edge 550 mm)

- CTG17** Glass support with rotatable TV mount. Mount located in the middle.
- CTG17L** Glass support with rotatable TV mount. Mount located on the left (distance to edge 650 mm)
- CTG17R** Glass support with rotatable TV mount. Mount located on the right (distance to edge 650 mm)

Rotatable mount: angle of turn 90°, maximum load 40 kg

Glass supports for cabinets/wall cabinets with a depth of 370 mm



- CTG20** Glass supports with a depth of 433 mm
- CTG21** Glass supports with a depth of 650 mm
- CTG22** Glass supports with a depth of 1300 mm
- CTG23** Glass supports with a depth of 1950 mm
- CTG24** Glass supports with a depth of 2600 mm



Leather seat covers

CTL65	Black leather seat covers for cabinets with a width of 650 mm
CTL130	Black leather seat covers for cabinets with a width of 1300 mm
CTLE1	Black leather seat covers for L Element (please refer to p. 30)
CTLE2	Black leather seat covers for T Element (please refer to p. 30)
CTLE3	Black leather seat covers for X Element (please refer to p. 30)



Illumination multi-colour LED strips (controller set required)

LEDPO	1 x multi-colour LED strips for CT20/CT21/CT22 wall panel for positioning above only
LEDPOS1	2 x multi-colour LED strips for CT20/CT21/CT2 wall panel for positioning above and right or above and left
LEDPOS2	3 x multi-colour LED strips for CT20/CT21/CT2 wall panel above, right and left
LED1180	Multi-colour LED strip for cabinets with a width of 1300 mm when wall-mounted
LED520	Multi-colour LED strip for cabinets with a width of 650 mm when wall-mounted
LED305	Multi-colour LED strip for cabinets with a width of 430 mm when wall-mounted



Illumination controller (required for multi-colour LED strips)

ZU1411	Controller set including remote control required for operating the multi-colour LED illumination
ZU1281	Infrared link system, required for operating the multi-colour LED illumination With the infrared link system, you can connect up to 4 devices (e.g. sound system, multi-colour illumination, DVD player, satellite receiver, etc.) when the element flaps are closed. In the case of devices with higher heat generation, the flap must remain open during operation. Please refer to the respective manufacturer's operating instructions.
ZU1412	Extension set for ZU1411 for more than 6 connections



CD/DVD-insert


CDE2	CD/DVD insert for cabinets CT1S and CT2S, holds 144 CDs or 64 DVDs
CDE3	CD/DVD insert for cabinets CT3S and CT4S, holds 144 CDs or 64 DVDs (2 can fit side by side)



CDE7	CD/DVD insert
-------------	---------------


Projector drawer (cabinet with a width of 1300 mm and depth of 550)

CT3SP	Cabinet with projector drawer (for Hitachi® ultra wide angle projector CP-AW250NM) Black body (SW) Walnut body (N) * Surcharge for front in aluminium (AL), walnut (N)
--------------	---




Coffee table with drawer (cabinet with a width of 1300 mm and depth of 550)

CT3C	Coffee table with drawer (includes base, back panel and glass support) Black body (SW) Surcharge for front in aluminium (AL), walnut (N)
-------------	--



Additional information:

* Cabinets in walnut come with top and floor panels in black (SW) as standard.



Active sound systems and matching cabinets

- CTA1** Active virtual surround sound system, one-piece (cover not included)
- CT3F2** Open cabinet for CTA1 sound system
Black body (SW)
Walnut body (N)
Optional cable holes left (L), right (R), left and right (LR)
Surcharge per cable hole
- CTF130** Fabric cover (black) for sound system with a width of 1300 mm

- CTA2** Active virtual surround sound system, four-piece (cover not included)
Matching cabinets: please refer to p. 28-29
- CTF65** Fabric cover (black) for sound system with a width of 650 mm
- CTF130** Fabric cover (black) for sound system with a width of 1300 mm

Passive speakers and use

- CTP1** Passive speakers (covers not included)

2x CTP1: For use as a stereo speaker

1x CTP1: For use as a centre speaker

3x CTP1: For use as a centre speaker and satellite speaker

Matching cabinets: please refer to p. 28-29

Fabric covers

- CTF65** Fabric cover (black) for sound system with a width of 650 mm
- CTF130** Fabric cover (black) for sound system with a width of 1300 mm

Infrared link system:


- ZU1281** With the infrared link system, you can connect up to 4 devices (e.g. sound system, multi-colour illumination, DVD player, satellite receiver, etc.) when the element flaps are closed. In the case of devices with higher heat generation, the flap must remain open during operation. Please refer to the respective manufacturer's operating instructions.

- ZU1638** IR expansion kit for operating 4 additional devices (total of 8 devices)

Universal radio IR remote control

Included with (CTA1 and CTA2) sound systems. Controls all functions of the sound and lighting system and can be programmed for up to 10 additional devices (e.g. TV, CD and DVD players, etc.)

Glass panels for cabinets with a depth of 550 mm




- CTGS1** Glass panels for cabinets with a height of 210 mm
- CTGS2** Glass panels for cabinets with a height of 420 mm
- CTGS3** Glass panels for cabinet combinations with a height of 630 mm

Glass panels for cabinets/wall cabinets with a depth of 370 mm



- CTGS10** Glass panels for cabinets with a height of 420 mm
- CTGS11** Glass panels for cabinets with a height of 630 mm
- CTGS12** Glass panels for cabinets with a height of 1050 mm
- CTGS13** Glass panels for cabinets with a height of 1260 mm



Sight screens for cabinets with a width of 650 mm and depth of 550 mm

- CTB1** Sight screens for cabinets with a height of 210 mm
- CTB2** Sight screens for cabinets with a height of 420 mm

Sight screens for cabinets with a width of 1300 mm and depth of 550 mm

- CTB3** Sight screens (set) for cabinets with a height of 210 mm
- CTB4** Sight screens (set) for cabinets with a height of 420 mm

Mirrored rear panel (inside)

- CTGM5** CTGM mirrored rear panel for CT5
- CTGM6** CTGM mirrored rear panel for CT6
- CTGM7** CTGM mirrored rear panel for CT7
- CTGM8** CTGM mirrored rear panel for CT8
- CTGM9** CTGM mirrored rear panel for CT9
- CTGM10** CTGM mirrored rear panel for CT10 (set)




Rear panel room partition for cabinets with a depth of 550 mm

- CTR1** Rear panel for cabinet CT1
- CTR2** Rear panel for cabinet CT2
- CTR3** Rear panel for cabinet CT3
- CTR4** Rear panel for cabinet CT4

Rear panel for corner elements L, T and X please refer to p. 30

Wall panels



- CT20** Wall panel without TV mount
Surcharge for wall panel in aluminium (AL), walnut (W)
Illumination for wall panels please refer to p. 33
- CT21** Wall panel for MAXI TV mount
Surcharge for wall panel in aluminium (AL), walnut (W)
Illumination for wall panels please refer to p. 33
- CT22** Wall panel for ULPC-L, ULPC-X or TV-VISION 400 sliding, rotating and tilting TV mounts
Surcharge for wall panel in aluminium (AL), walnut (W)
Illumination for wall panels please refer to p. 33

TV mounts



- MAXI** TV mount, maximum load 80 kg
- ULPC-L** TV mount, maximum load 68 kg
- ULPC-X** TV mount, maximum load 113 kg
- T-VISION 400** TV mount, maximum load 45 kg

Cable curtain



- CTF210** Cable curtain made of grey felt, for cabinet CT1
- CTF420** Cable curtain made of grey felt, for cabinet CT2
- CTF211** Cable curtain made of grey felt (set), for cabinet CT3
- CTF421** Cable curtain made of grey felt (set), for cabinet CT4



Felt drawer board for use as a pad for all drawer inserts

SKA1 Felt drawer lining for cabinets CT1, CT2
required as a liner for all drawer inserts



SKA2 Felt drawer liner for cabinets CT3, CT4
required as a liner for all drawer inserts

Drawer inserts



SKA7 For use with felt liner and divider



SKA8 For use with felt liner for storing mobiles, pens and odds and ends



SKA9 For storing Nespresso capsules



SKA10 For storing bottles, matches cabinets CT2, CT4



SKA11 For storing hanging files, matches cabinets CT2, CT4

Drawer inserts for a second level



SKA3 Drawer track set for creating two levels in cabinet CT1, CT2
for use with drawer inserts SKA5, SKA6



SKA4 Drawer track set for creating two levels in cabinet CT3, CT4
for use with drawer inserts SKA5, SKA6




SKA5 Use with smooth felt liner, can be used for two levels




SKA6 Use with preformed felt liner for pens, can be used for two levels

Sample plan 1





- CT1FR
- CT3FLR
- CT1FL
- 2x CT1S
- CT3K
- CTS260
- CTG17
- 2x CTGS2
- CTA2
- 2x CTF65
- CTF130
- ZU 1281

Sample plan 2




- CT3FR
- CT3KLR
- CT3FL
- 3x CT3S
- 3x CTS130
- 2x CTG3
- CTG11
- 2x CTGS2
- CTA2
- 2x CTF130
- ZU 1281

Sample plan 3




- CT3FR
- CT3KLR
- CT3FL
- 3 x CT3S
- 3 x CT6KO
- 3 x CTS130
- 2 x CTG3
- CTG11
- 3 x CTG22
- 2 x CTGS2
- 2 x CTGS10
- CTA2
- 2 x CTF130
- ZU1281

Sample plan 4




- CT3F2R
- CT3KL
- CT3S
- CT9L
- 2 x CT9R
- 3 x CTS130
- CTG11
- 2 x CTG3
- 3 x CTG20
- 2 x CTGS1
- 6 x CTGS12
- CTA1
- CTF130
- ZU1281

Sample plan 5




- CT3F2R
- CT3KL
- 2 x CT3S
- 2 x CT9R
- CTS260
- CTG17L
- 2 x CTG20
- 2 x CTGS2
- 4 x CTGS12
- CTA1
- CTF130
- ZU1281

Sample plan 6












- CT3F2
- CT3KR
- CT2KL
- CTS195
- CTG14L
- 2 x CTGS2
- CTA1
- CTF130
- ZU1281

Sample plan 7



Sample plan 8





Base assembly Cabinets

Open cabinet (CT1F, CT2F, CT3F, CT4F)

Weight load of glass support: 60 kg

Weight load per glass shelf: 15 kg

Weight load of cabinet bottom panel: 30 kg (CT1F, CT2F) , 30 kg + 30 kg (CT3F, CT4F)

Cabinets with flaps (CT1K, CT2K, CT3K, CT4K)

Weight load of glass support: 60 kg

Weight load per glass shelf: 15 kg

Weight load of cabinet bottom panel: 30 kg (CT1K, CT2K) , 30 kg + 30 kg (CT3K, CT4K)

Cabinets with drawers (CT1S, CT2S, CT3S, CT4S)

Weight load of glass support: 60 kg

Weight load of drawer 30 kg (CT1S, CT2S) , 30 kg + 30 kg (CT3S, CT4S)


Wall mounting Cabinets

Cabinets with a height of 210 mm, open/flap (CT1F, CT1K, CT3F, CT3K)

Weight load of glass support: 25 kg

Weight load of cabinet bottom panel: 20 kg (CT1F, CT1K),
10 kg + 10 kg (CT3F, CT3K)

Maximum total load of furniture: 25 kg *



Drawers and a t mount are not possible for constructions with a height of 210 mm or more.

Cabinets with a height of 420 mm, open/flap (CT2F, CT2K, CT2S, CT4F, CT4K, CT4S)

Weight load of glass support: 40 kg

Weight load per glass shelf: 15 kg

Weight load of cabinet bottom panel/drawer: 20 kg (CT2F, CT2K, CT2S), 20 kg + 20 kg (CT4F, CT4K, CT4S)

Maximum total load of furniture: 40 kg *

Wall mounting Wall cabinets

Wall cabinets with flap (CT5K, CT5KO, CT6K, CT6KO)

Weight load of glass support: 30 kg

Weight load per glass shelf: 15 kg

Weight load of cabinet bottom panel: 30 kg (CT5K, CT5KO), 30 kg + 30 kg (CT6K, CT6KO)

Maximum total load of furniture: 80 kg *

Wall cabinets with drawers (CT5S, CT6S)

Weight load of glass support: 30 kg

Weight load of drawer 30 kg (CT5S), 30 kg + 30 kg (CT6S)

Maximum total load of furniture: 80 kg *

Wall cabinets with doors (CT7, CT8, CT9, CT10)

Weight load of glass support: 30 kg

Weight load per glass shelf: 15 kg

Weight load of middle cabinet shelf (CT10): 30 kg

Weight load of cabinet bottom panel: 30 kg (CT8, CT9, CT10), 30 kg + 30 kg + 30 kg (CT7)

Maximum total load of furniture: 80 kg *

Additional information:

Always let a professional install the wall units and check that your wall is suitable for the installation. The screws and dowels included with the delivery are intended for use on walls made of brickwork or cement. Should your wall be made of a different material, please use appropriate fastening material. We assume no guarantee/liability for installation or assembly work.

* Due to the high degree of leverage caused by wall cabinets, the maximum weight load of the furniture should not be exceeded.

Available colours

Cabines

Black (SW)



Walnut (N)



Cabinets in walnut come with top and floor panels in black (B) as standard.

Base

Aluminium (AL)



Shelves

Clear glass



Front, rear and wall panels

Walnut (N)



Aluminium (AL)



Glass Snow (SNG)



Glass Silber (SV)



Glass Black (BG)



Individual NCS glass colour



Glass supports and glass shelves


Glass Snow (SNG)



Glass Silber (SV)



Glass Black (BG)



Individual NCS glass colour



Additional information:

Wood is a natural product. As such, variations in grains and colours are unavoidable and are not grounds for returns. NCS colours may differ due to variations in the production process. Expansions or changes to glass surfaces after installation cause colour hues to vary.

The glass surfaces in the Catena range are considerably brighter, more scratch-resistant and much easier to look after than the high-gloss painted surfaces of other furniture items. The NCS colour system enables you to choose from over 2,000 colours. Even combinations (e.g. white front and black glass support) are possible.



Copyright © 2011 Spectral Audio Möbel GmbH, Robert-Bosch-Str. 1–5, 74385 Pleidelsheim
Telefon: +49 7144 88418-80, Fax: +49 7144 88418-40, E-Mail: info@spectral.eu

For the latest information about Spectral, please visit www.spectral.eu

Technical changes, differences in colour due to printing and errors excepted